

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/642,233	08/18/2003	June-Seo Lee	P56843	2987
75	90 05/12/2006		EXAM	INER
Robert E. Bushnell			LY, NGHI H	
Suite 300 1522 K Street, N	1.W.		ART UNIT	PAPER NUMBER
Washington, D			2617	
			DATE MAILED: 05/12/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/642,233	LEE, JUNE-SEO	
Office Action Summary	Examiner	Art Unit	<del></del>
	Nghi H. Ly	2617	
The MAILING DATE of this communic Period for Reply	ation appears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FO WHICHEVER IS LONGER, FROM THE MA - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this commur - If NO period for reply is specified above, the maximum statu - Failure to reply within the set or extended period for reply wi Any reply received by the Office later than three months afte earned patent term adjustment. See 37 CFR 1.704(b).	ILING DATE OF THIS COMMUNI 37 CFR 1.136(a). In no event, however, may a nication. Itory period will apply and will expire SIX (6) MOI III, by statute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status			
1)⊠ Responsive to communication(s) filed	on 10 February 2006.		
· <u> </u>	n)⊠ This action is non-final.		
3) Since this application is in condition for	·	ters, prosecution as to the merits is	
closed in accordance with the practice	•	•	
Disposition of Claims			
4)⊠ Claim(s) <u>1-17</u> is/are pending in the ap	plication.		
4a) Of the above claim(s) is/are	•		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-17</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction	on and/or election requirement.		
Application Papers			
9) The specification is objected to by the	Fxaminer		
10) The drawing(s) filed on is/are: a		by the Examiner	
Applicant may not request that any objecti	· - · · · · · · · · · · · · · · · · · ·	•	
Replacement drawing sheet(s) including the	*	, ,	
11) The oath or declaration is objected to be		• • • • • • • • • • • • • • • • • • • •	•
Priority under 35 U.S.C. § 119			
12)⊠ Acknowledgment is made of a claim fo	r foreign priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
a)⊠ All b)□ Some * c)□ None of:			
1.⊠ Certified copies of the priority do	ocuments have been received.		
2. Certified copies of the priority do	ocuments have been received in A	opplication No	
3. Copies of the certified copies of	the priority documents have been	received in this National Stage	
application from the International	al Bureau (PCT Rule 17.2(a)).		
* See the attached detailed Office action	for a list of the certified copies not	received.	
Attachment(s)			
1) Notice of References Cited (PTO-892)	4) Interview	Summary (PTO-413)	
2) $\square$ Notice of Draftsperson's Patent Drawing Review (PTC3) $\boxtimes$ Information Disclosure Statement(s) (PTO-1449 or P		s)/Mail Date nformal Patent Application (PTO-152)	
Paper No(s)/Mail Date <u>04/21/06</u> .	6) Other:		

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 4, 6 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Martin et al (US 2002/0107003A1) in view of Oshigiri (US 2001/0014584A1) and further in view of Watson at el (US 6,212,382).

Regarding claims 1, 4, 6 and 9, Martin teaches a wireless network system capable of tracking a location of a mobile station (see [0027]) comprising: a visitor location register in which location information relating to a wireless network location of a mobile station is stored (see column [0021]) and confirming a location of the mobile station and updating the location information stored in said visitor location register when the mobile station keeps up an idle state during a certain period (see [0021] and [0027], see "current location". In addition, applicant's specification fails to further define what an "idle state" is. Therefore, Martin indeed teaches claimed limitation with the broadest reasonable interpretation).

Martin does not specifically disclose a base station controller storing location information relating to a wireless network location of a mobile station in said visitor location register when the mobile station registers its location with said wireless network.

Oshigiri teaches a base station controller storing location information relating to a wireless network location of a mobile station in said visitor location register when the mobile station registers its location with said wireless network (see [0027] and claim 15, step c).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Oshigiri into the system of Martin in order to provide a network system which is capable of making it possible to use most of radio system units without modification (see Oshigiri, [0017]).

The combination of Martin and Oshigiri does not specifically disclose confirming a location of the mobile station by dummy paging.

Watson teaches confirming a location of the mobile station by dummy paging (see column 2, lines 45-49).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Watson into the system of Martin and Oshigiri in order to provide a method for handover in a multicellular environment including an overlay and underlay of marcocells and microcells (see Watson, column 1, lines 5-10).

3. Claims 2, 3, 8, 12, 13 and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Martin et al (US 2002/0107003A1) in view of Oshigiri (US 2001/0014584A1) and further in view of Watson at el (US 6,212,382), Stephens (US 6,256,503) and Fitch et al (US 6,424,840).

Page 4

Regarding claims 2, 3, 8 and 12, Martin teaches <u>at least one</u> repeater dispersedly installed in sector zones of a private base transceiver station (see Martin, fig.1), a visitor location register in which location information relating to a private wireless network location of a mobile station is stored (see Martin, [0021] and [0027], see "VLR") and confirming a location of the mobile station and updating the location information stored in said visitor location register when the mobile station keeps up an idle state during a certain period (see Martin, [0021] and [0027], see "current location". In addition, applicant's specification fails to further define what an "idle state" is. Therefore, Martin indeed teaches claimed limitation with the broadest reasonable interpretation).

Martin does not specifically disclose a private base station controller storing location information relating to a private wireless network location of a mobile station in said visitor location register when the mobile station registers its location with said private wireless network.

Oshigiri teaches a private base station controller storing location information relating to a private wireless network location of a mobile station in said visitor location register when the mobile station registers its location with said private wireless network (see Oshigiri, [0027] and claim 15, step c).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Oshigiri into the system of Martin in order to provide a network system which is capable of making it possible to use most of radio system units without modification (see Oshigiri, [0017]).

Application/Control Number: 10/642,233

Art Unit: 2617

Martin and Oshigiri does not specifically disclose confirming a location of the mobile station by dummy paging.

Watson teaches confirming a location of the mobile station by dummy paging (see column 2, lines 45-49).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Watson into the system of Martin and Oshigiri in order to provide a method for handover in a multicellular environment including an overlay and underlay of marcocells and microcells (see Watson, column 1, lines 5-10).

The combination of Martin, Oshigiri and Watson does not specifically disclose a server inquiring about the location information of the mobile station stored in said visitor location register.

Stephens teaches a server inquiring about the location information of the mobile station stored in said visitor location register (see column13, lines 40-48).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Stephens into the system of Martin, Oshigiri and Watson in order to provide an improved wireless communications network that includes restricted user terminal areas based on the location of an originator (see Stephens, column 2, lines 52-55).

The combination of Martin, Oshigiri, Watson and Stephens does not specifically disclose the location information including at least one of a private base transceiver station number, a sector number and a repeater number.

Fitch teaches the location information includes at least one of a base transceiver station number, a sector number and a repeater number (see column 7, lines 8-10).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Fitch into the system of Martin, Oshigiri, Watson and Stephens in order to express the user's location in term of network topology (see Fitch, column 7, lines 10-12).

Regarding claim 13, the combination of Martin, Oshigiri, Watson, Stephens and Fitch further teaches transmitting the location information received from said private base station controller to the client (see Oshigiri, [0027]), and receiving the location information from said server and providing a user with a location and state of the specific mobile station according to the received location information (see Oshigiri, [0027]).

Regarding claims 15 and 17, the combination of Martin, Oshigiri, Watson,
Stephens and Fitch does not specifically disclose the server being connected to said
base station controller through a local area network and the plurality of repeaters being
connected to the private base transceiver station, with the private base transceiver
station being connected to said private base station controller. However, the examiner
takes Official notice that such feature as recited is very well known in the art.

Therefore, it would have been obvious to one of ordinary skills in the art at the time of the invention was made to modify the above teaching of the combination of Martin, Oshigiri, Watson, Stephens and Fitch for providing a method as claimed, for the server being connected to said base station controller through a local area network and

the plurality of repeaters being connected to the private base transceiver station, with the private base transceiver station being connected to said private base station controller.

Regarding claim 16, the combination of Martin, Oshigiri, Watson, Stephens and Fitch does not specifically disclose a client being informed of the location information from said server, with said client being connected to said server, said server not accommodating the communication link between mobile stations. However, the examiner takes Official notice that such feature as recited is very well known in the art.

Therefore, it would have been obvious to one of ordinary skills in the art at the time of the invention was made to modify the above teaching of the combination of Martin, Oshigiri, Watson, Stephens and Fitch for providing a method as claimed, for the client being connected to said server.

4. Claims 5 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Martin et al (US 2002/0107003A1) in view of Oshigiri (US 2001/0014584A1) and further in view of Watson at el (US 6,212,382) and Fitch et al (US 6,424,840).

Regarding claims 5 and 7, the combination of Martin, Oshigiri and Watson teaches claims 4 and 6. The combination of Martin, Oshigiri and Watson not specifically disclose the location information includes at least one of a base transceiver station number, a sector number and a repeater number.

Fitch teaches the location information includes at least one of a base transceiver station number, a sector number and a repeater number (see column 7, lines 8-10).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Fitch into the system of Martin, Oshigiri and Watson in order to express the user's location in term of network topology (see Fitch, column 7, lines 10-12).

5. Claims 10 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Martin et al (US 2002/0107003A1) in view of Garceran et al (US 6,522,888) and further in view of Fitch et al (US 6,424,840) and Giniger et al (US 6,199,045).

Regarding claim 10, Martin teaches a method for tracking a location of a subscriber (see [0021] and [0027]), comprising: storing location information when a mobile station executes location registration (see [0021] and [0027]). Martin does not specifically disclose periodically transmitting a message requesting an inquiry about a mobile station subscriber's state to a server.

Garceran teaches periodically transmitting a message requesting an inquiry about a mobile station subscriber's state to a server (see column 3, lines 34-37).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Garceran into the system of Martin in order to determine coverage in a wireless communication system (see Garceran, Abstract).

The combination of Martin and Garceran does not specifically disclose the location information including a private base transceiver station number, a sector number and a repeater number with respect to the relevant mobile station.

Art Unit: 2617

Fitch teaches the location information including a private base transceiver station number, a sector number and a repeater number with respect to the relevant mobile station (see column 7, lines 8-10).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Fitch into the system of Martin and Garceran in order to express the user's location in term of network topology (see Fitch, column 7, lines 10-12).

The combination of Martin, Garceran and Fitch does not specifically disclose requesting a private base station controller to inquire out location information stored in a visitor location register in response to the inquiry message, transmitting location information stored in a visitor location register to a server in response to the server's request.

Giniger teaches requesting a private base station controller to inquire out location information stored in a visitor location register in response to the inquiry message, transmitting location information stored in a visitor location register to a server in response to the server's request (see column11, lines 59-61, column 12, lines 32-38, the teaching of Giniger inherently teaches "a visitor location register" since the mobile unit 103 can roam from one network to another network and each network inherently includes "a visitor location register") and transmitting the location information received from said private base station controller to the client and receiving the location information from said server and providing a user with a location and state of a mobile station according to the received location information (see Astract).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Giniger into the system of Martin, Garceran and Fitch in order to provide information to the users, which information is based upon the user's position and tailored to the user interests (see Giniger, column 1, lines 6-10).

Regarding claim 14, the combination of Martin, Garceran, Fitch and Giniger further teaches transmitting location information stored in said visitor location register directly to the server, remote from the visitor location register, in response to the server's request (see Giniger, column11, lines 59-61, column 12, lines 32-38, the teaching of Giniger inherently teaches "a visitor location register" since the mobile unit 103 can roam from one network to another network and each network inherently includes "a visitor location register").

6. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Martin et al (US 2002/0107003A1) in view of Garceran et al (US 6,522,888) and Fitch et al (US 6,424,840) and further in view of Giniger et al (US 6,199,045) and Watson at el (US 6,212,382).

Regarding claim 11, the combination of Martin, Garceran, Fitch and Giniger teaches confirming a location and state of a mobile station and updating its location information of said visitor location register when the relevant mobile station keeps up an idle state during a certain period, and then transmitting the updated location information to said server (see Martin, [0021] and [0027], see "current location". In addition,

applicant's specification fails to further define what an "idle state" is. Therefore, Martin indeed teaches claimed limitation with the broadest reasonable interpretation).

The combination of Martin, Garceran, Fitch and Giniger does not specifically disclose confirming a location of the mobile station by dummy paging.

Watson teaches confirming a location of the mobile station by dummy paging (see column 2, lines 45-49).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teaching of Watson into the system of Martin, Garceran, Fitch and Giniger in order to provide a method for handover in a multicellular environment including an overlay and underlay of marcocells and microcells (see Watson, column 1, lines 5-10).

## Response to Arguments

7. a. Applicant's arguments with respect to claims 1-17 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nghi H. Ly whose telephone number is (571) 272-7911. The examiner can normally be reached on 8:30 am-5:30 pm Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold can be reached on (571) 272-7905. The fax phone

Application/Control Number: 10/642,233 Page 12

Art Unit: 2617

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nghi H. Ly

CHARLES APPIAH PRIMARY EXAMINER